

REINFORCED 2000 BARRIER

Code: B-2000



- TRANSPORT AND STORAGE SPACE + SAVINGS

NESTABLE AND REINFORCED BARRIER

Also known as protective fence, the 2000 barrier is robust, durable with solid and reinforced walls.

Help to define limits of specific areas, such as work zones, events or restricted areas.

Provide a clear visual signage to guide motorists and pedestrians, indicating changes on transit, detours and lane separations.


Allow to cordon off and protect areas to keep people away from dangerous zones or limited access areas, providing safety to pedestrians and motorists, reducing risk of accidents.

Used to block temporarily roads during events, construction works or emergencies.

These are essential barriers to maintain safety and order in different situations, providing an effective way to manage transit and protect people and vehicles.

Features

- **Nestable**, helping to reduce transportation costs, in other words, storage savings. Stack up to 20 barriers.
- **Space savings** of more than the twice of capacity in most of cases.
- **Logistic efficiency**, less journeys and costs of transportation.
- **Sustainability**, a more efficient use of resources and less carbon footprint.
- Its reinforced design due weight and geometry help to be robust and easy to handle, with coupling system.
- Allow to construct the desired length according to specific needs.
- Manufactured in MDPE with resistance to inclemency and temperature changes, protection against UV rays, providing a long life span.
- Orange color, other colors upon request.
- Easy, fast and safe join, can be performed by one person with minimum effort.
- Option to include arrows with prismatic reflective per face, increasing visibility.
- Bridge on base for water flow during rainy season, avoiding puddles.
- Option to include 4 heavy duty swivel casters for an easy maneuverability and mobility.




REINFORCED 2000 BARRIER

Code: B-2000

Dimensions and other measures are nominal and may vary by +- 2%.

Dimensions in: in



Measurements

Total	Total Length: 6.5 ft Width: 25.9 in Height: 37.4 in
Reflective sheeting color:	White
Approx. Weight:	52.910 lbs




Example:

Dry box of 53"
Capacity to store 420 barriers,
channelizing 2755 linear ft.

**LESS SPACE
IN STORAGE**

Tower of 20 pcs



Optimize costs and maximize your logistic efficiency with our nestable barriers!

40 HC Container:


- **Nestable:** Store up to 270 barriers, 3 times more than the 90 no nestable barriers.

48 ft Dry box:

- **Nestable:** Capacity for 315 barriers, more than twice compared to 105 no nestable barriers.

Dry box of 53 ft:

- **Nestable:** Loads up to 360 barriers, compared to 120 no nestable barriers, meaning 2.5 times more.



Graph shows capacity of nestable and no nestable barriers in different container types and ease the visual comparison. Considering as an example a transport from CDMX to Monterrey with a cost of 50,000 MXN per transport journey. The transportation of nestable barriers instead no nestable barriers, generates a saving of **300%** in transportation costs.

*July 2024 Data