

DUAL BIKE RACK


Code: BIC-2

A leader doesn't follow steps, **he marks the way.**



Features


- The ideal street furniture to hold a couple of bikes.
- This device takes up very little space and you can put several dual bike racks together.
- You can use any kind of bike lock on the bike rack to ensure the safety of your bicycle.
- The bike rack is made of black medium-density polyethylene.
- It includes hitch rings to secure the bike locks.
- It has the option of being customized since it can have your logo engraved on the top.
- Weather-resistance.
- UV protection.
- Mainly suggested in parks, median strips, residential units, bus stations, company buildings, etc.
- It's usually installed embedded in the floor.
- **Installation recommendations:**
Each section needs four 3/8" x 5.85 in. "Ultrafix" hex-head screws and four 0.74 in. x 5.46 in. "Extralarge" anchors (not included).




DUAL BIKE RACK

Code: BIC-2

Volumes, dimensions, and other measures are nominal and may vary by approximately 2 %.








Measures	
Length:	27.30 in.
Width:	24.18 in.
Height:	7.80 in.



Mark the four boreholes of each base.
Bore into the holes with the help of a drill and a 3/4" concrete drill bit to a depth of 7".
Place the anchors on the boreholes.
Put the dual bike rack.
Insert the screws and the 3/8" flat washers.
Perfectly tighten the four screws with a 9/16" socket wrench.
The installation is ready.

Installation

-  Ultrafix hex-head screw 21v Ø 3/8" x 5.85 in.
-  Flat washer.
-  Leg.
-  Extralarge anchor Ø 0.70 in. x 5.26 in.
-  Borehole.